



Style HW Rod Wipers

Designed for medium duty applications and can provide both wiping and sealing action in one component in low pressure systems. The external lip scrapes foreign matters from the rod, and the other lips act as an effective pressure seal in low pressure applications. This wiper can also be used as a secondary seal to trap slight leakage from the primary seal. This creates a very dry rod system. DMR stocks HW Rod Wipers in 90 Durometer Urethane, 90 Durometer Fluoroelastomer and 90 Durometer Nitrile.



Tolerances

A +.003 / -.000

B +.003 / -.000

C +.004 / -.000

Style HW Rod Wipers

DMR Part Number	A - Rod Diameter	B - Groove I.D.	C - Base Thickness
HW-0500	1/2	13/16	.194
HW-0500N	1/2	13/16	.194
HW-0500V	1/2	13/16	.194
HW-0625	5/8	15/16	.194
HW-0625-1	5/8	1	.203
HW-0625-1N	5/8	1	.203
HW-0625-2N	5/8	15/16	.194
HW-0625N	5/8	15/16	.194
HW-0625V	5/8	15/16	.194
HW-0750	3/4	1-1/16	.194
HW-0750N	3/4	1-1/16	.194
HW-0750V	3/4	1-1/16	.194
HW-0875	7/8	1-1/4	.212
HW-0875N	7/8	1-1/4	.212
HW-1000	1	1-3/8	.212
HW-1000N	1	1-3/8	.212
HW-1000U	1	1-3/8	.212
HW-1000V	1	1-3/8	.212
HW-1125	1-1/8	1-1/2	.212
HW-1250	1-1/4	1-5/8	.212
HW-1250N	1-1/4	1-5/8	.212
HW-1375	1-3/8	1-3/4	.212
HW-1375HT	1-3/8	1-3/4	.206
HW-1375N	1-3/8	1-3/4	.212
HW-1375V	1-3/8	1-3/4	.212
HW-1500	1-1/2	1-7/8	.212
HW-1500N	1-1/2	1-7/8	.212
HW-1625	1-5/8	2	.212
HW-1750	1-3/4	2-1/8	.212
HW-1750N	1-3/4	2-1/8	.212
HW-1750V	1-3/4	2-1/8	.212
HW-1751	1-3/4	2-1/8	.168
HW-1875	1-7/8	2-1/4	.212

DMR Part Number	A - Rod Diameter	B - Groove I.D.	C - Base Thickness
HW-1875N	1-7/8	2-1/4	.212
HW-2000	2	2-3/8	.212
HW-2000N	2	2-3/8	.212
HW-2000V	2	2-3/8	.212
HW-2125	2-1/8	2-1/2	.212
HW-2250	2-1/4	2-3/4	.275
HW-2375N	2-3/8	2-7/8	.275
HW-2500	2-1/2	3	.275
HW-2500N	2-1/2	3	.275
HW-2500V	2-1/2	3	.275
HW-2625	2-5/8	3-1/8	.275
HW-2750	2-3/4	3-1/4	.275
HW-3000	3	3-1/2	.275
HW-3000N	3	3-1/2	.275
HW-3000V	3	3-1/2	.275
HW-3250	3-1/4	3-3/4	.275
HW-3500	3-1/2	4	.275
HW-3500N	3-1/2	4	.275
HW-3500V	3-1/2	4	.275
HW-3750	3-3/4	4-1/4	.275
HW-4000	4	4-1/2	.275
HW-4000N	4	4-1/2	.275
HW-4000V	4	4-1/2	.275
HW-4250	4-1/4	4-3/4	.275
HW-4430	4-7/16	4-15/16	.275
HW-4500	4-1/2	5	.275
HW-4500N	4-1/2	5	.275
HW-4500V	4-1/2	5	.275
HW-4750	4-3/4	5-1/4	.275
HW-5000	5	5-1/2	.275
HW-5000N	5	5-1/2	.275
HW-5000V	5	5-1/2	.275
HW-5500	5-1/2	6	.275

Style HW Rod Wipers

DMR Part Number	A - Rod Diameter	B - Groove I.D.	C - Base Thickness
HW-5500N	5-1/2	6	.275
HW-5500V	5-1/2	6	.275
HW-6000N	6	6-1/2	.275
HW-6000V	6	6-1/2	.275
HW-7000	7	7-1/2	.275
HW-8000	8	8-1/2	.275