



|                     |  |
|---------------------|--|
| Customer & Division |  |
| Address             |  |
| City/State/Zip      |  |
| Contact             |  |
| Telephone<br>( )    |  |
| Customer P/N        |  |
| Type of Equipment   |  |
| Application         |  |

**A. Shaft Diameter** \_\_\_\_\_ **D. Shaft Chamfer & Angle** \_\_\_\_\_  
**B. Bore Diameter** \_\_\_\_\_ **E. Bore Chamfer & Angle** \_\_\_\_\_  
**C. Seal Width** \_\_\_\_\_

|  |               |
|--|---------------|
| <input type="checkbox"/> OEM<br><input type="checkbox"/> Aftermarket | Date Required |
|--|---------------|

|  |  |   |  |
|--|--|---|--|
| Annual Usage   |  | Peak Month Usage  |  |
| <b>Shaft</b><br><input type="checkbox"/> Horizontal<br><input type="checkbox"/> Vertical   | Material   | Finish  | Hardness   |
| <b>Bore</b>  | Material   | Finish  | Hardness   |
| <b>Motion</b><br><input type="checkbox"/> Rotating<br><br><input type="checkbox"/> Reciprocating<br><input type="checkbox"/> Oscillating | RPM    Normal<br>Max   | Direction From Air Side:<br><input type="checkbox"/> Clockwise <input type="checkbox"/> Counter-Clockwise<br><input type="checkbox"/> Bi-Rotational |  |
|  | Shaft Runout TIR   | Misalignment  | Frequency of Rotation<br><input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent |
|  | Stroke Length  | Cycles/Min  |  |
| <b>Fluid</b><br>Internal<br><br>External   | Type   | <input type="checkbox"/> Dry <input type="checkbox"/> Mist<br><input type="checkbox"/> Flooded  |  |
|  | Type   |   |  |
| Temp.  | <input type="checkbox"/> °C <input type="checkbox"/> °F                          | Min.  | Normal    Max.   |
| Pressure   | Normal PSI   | Maximum PSI   |  |
| Bearing  | <input type="checkbox"/> Ball or Roller Bearing <input type="checkbox"/> Bushing |   |  |