




Essential
components
for industry




Pipe & Flange Protection

CE Series Plastic Caps for Pipe Ends



Heavy-wall CE caps protect delicate pipe threads during transit and storage. Designed with external ribs to facilitate easy installation and removal.

Material: Low-Density Polyethylene **Color*:** See chart



Caplug No.	Color	Dimension Pipe Size	Caplug No.	Color	Dimension Pipe Size	Caplug No.	Color	Dimension Pipe Size
CE 309	Black	1/4 NPT	CE 321	Black	5 NPT	CE 334	Black	28 NPT
CE 310	Black	3/8 NPT	CE 322	Black	6 NPT	CE 30	Black	30 NPT
CE 311	Black	1/2 NPT	CE 324	Black	8 NPT	CE 336	Black	32 NPT
CE 312	Black	3/4 NPT	CE 325	Black	10 NPT	CE 337	Black	36 NPT
CE 313	Black	1 NPT	CE 326	Black	12 NPT	CE 338	Black	40 NPT
CE 314	Black	1-1/4 NPT	CE 327	Black	14 NPT	CE 340	Black	42 NPT
CE 315	Black	1-1/2 NPT	CE 16	Black	16 NPT	CE 342	Black	44 NPT
CE 316	Black	2 NPT	CE 18	Black	18 NPT	CE 344	Black	48 NPT
CE 317	Black	2-1/2 NPT	CE 20	Black	20 NPT	CE 346	Black	52 NPT
CE 318	Black	3 NPT	CE 331	Black	22 NPT	CE 348	Black	56 NPT
CE-319	Black	3-1/2 NPT	CE 24	Black	24 NPT	CE 350	Black	60 NPT
CE 320	Black	4 NPT	CE 333	Black	26 NPT	CE 352	Black	64 NPT

TLF Series Toggle Lock Flange Protector

These new patented* flange protectors are designed for ease of installation and removal, with a new level of flexibility enabling easier alignment with the bolt holes. The hinged lug design allows for variances which current fixed protectors cannot accommodate. Ribs on the lug aid in the removal process.

Our Toggle Lock Flange Protectors offer an economical solution for protecting the raised face of expensive flanges.


- Flexible hinge for improved installation and removal
- Increased number of lugs on larger sizes for better retention
- Thicker top pad for superior impact protection
- Enhanced side and end walls enable greater surface contact with the face of the flange
- Color coding available for ease of recognition
- Complete range of sizes 1/2" thru 14" (150 & 300 classes)
- Range of 600, 900, 1500 and 2500 Lb Pressure Class Sizes - API specifications



Full Face Custom Flange Protector Series

DMR Disc style flange protectors are designed to cover the full face of the flange. DMR flange protectors are made of Corrugated Plastic, HDPE, MDF, or Plywood. DMR has inventory available for most standard flange designs. Custom sizes can be fabricated to meet your unique specifications.

- Material: Corrugated Plastic (FCM Series), HPDE (FCH Series), MDF (FCM Series), Plywood (FCW Series).
- Cut to any size in any class series from 150# to 20,000#
- Complete range of sizes 1/2" to 42"



The following Pressure Class ratings are available:

150 Class Pressure Rating -Flanges Nominal Pipe sizes available from 1/2 in. to 48 in.
300 Class Pressure Rating -Flanges Nominal Pipe sizes available from 1/2 in. to 48 in.
400 Class Pressure Rating -Flanges Nominal Pipe sizes available from 1/2 in. to 48 in.
600 Class Pressure Rating -Flanges Nominal Pipe sizes available from 1/2 in. to 46 in.
900 Class Pressure Rating -Flanges Nominal Pipe sizes available from 1/2 in. to 40 in.
1500 Class Pressure Rating -Flanges Nominal Pipe sizes available from 1/2 in. to 46 in.
2500 Class Pressure Rating -Flanges Nominal Pipe sizes available from 1/2 in. to 12 in.
All standard die-cut flange covers are 1/16" thick. Alternate materials and thickness are available.


FC Series Stud Hole Flange Protectors



Widely viewed as the industry standard for flange protection, this cover requires no additional fastening devices. Simply insert the flange into bolt holes and apply minimal pressure. These flange protectors were engineered for quick and easy installation. The FC series is weather- and petroleum-resistant.



Material: Low-Density Polyethylene **Color*:** Blue - 150 lb. series Black - 300 lb. series
Meets: ANSI B 16.5 and API specifications. Suitable for use on ASA and BS 1560 flanges.



Caplug No.	Dimension	Caplug No.	Dimension
	Pipe Size (In)		Pipe Size (In)
Used on 125 & 150 lb.		Used on 300, 400 & 600 lb.	
FC 150-0500	1/2	FC 300-0500	1/2
FC 150-0750	3/4	FC 300-0750	3/4
FC 150-1	1	FC 300-1	1
FC 150-1500	1-1/2	FC 300-1500	1-1/2
FC-150-2	2	FC 300-2	2
FC 150-3	3	FC 300-3	3
FC 150-4	4	FC 300-4 [†]	4
FC 150-6	6	FC 300-6 [†]	6
FC 150-8	8	FC 300-8 [†]	8
FC 150-10	10	FC 300-10 [†]	10
FC 150-12	12	FC-300-12 [†]	12

[†]Will fit 300 lb. flanges only.



EPN-250 Series

Open-End Beveled-Edge Protectors



CTB/CTN Series

Cable Ties (Black & Natural)



OE Series

Open-End Thread Protectors



FAF Series

Full-Face Protectors



VALVE FLANGE Series

Valve Flange Protectors



FAR Series

Raised-Face Protectors



EPN-305 Series

Push-In Protectors



EPN-310 Series

Outside Fitting Protectors



VAS Series

Vinyl ASA Flange Covers



VF Series

Vinyl Flange Covers



VSR Series

Vinyl Snap Ring Flange Covers



T Series

Nonthreaded tapered caps and plugs

Essential components for industry

www.daemar.com

Oakville, ON
905.847.6500

Dorval, QC
514.636.3113

Edmonton, AB
780.435.8899

Lawrenceville, GA
770.953.4710

1-800-387-7115